


END CAP

ISO butt welding end cap

Art. 036.0305




Art. 036.0305

Execution: produced from Fe 360-1 UNI 5869 steel sheet - according to NFA 49-185 and EN 10253/1 normatives - smooth ends up to \check{R} 139,7 and feathered edge for upper diameters.

On request: control certification according to EN 10204/2.2 normatives.

Dimensions

\emptyset	Thickness S mm	H mm	h mm	R mm	r mm	Tolerances				Weight Kg
						\check{R} mm	Smm	H e h mm	R e r mm	
21.3	2.0	12	4	21	4	± 0.5		± 3.2	$\pm 10\%$	0.01
26.9	2.0	14	5	27	4	± 0.5		± 3.2	$\pm 10\%$	0.02
33.7	2.3	17	5	34	4	± 0.5		± 3.2	$\pm 10\%$	0.03
42.4	2.6	20	5	43	4	± 0.5		± 3.2	$\pm 10\%$	0.05
48.3	2.6	21	6	48	4	± 0.5	+0.5	± 3.2	$\pm 10\%$	0.06
60.3	2.9	25	7	60	6	$\pm 1\%$	-15%	± 3.2	$\pm 10\%$	0.12
70	2.9	28	8	70	6	$\pm 1\%$		± 3.2	$\pm 10\%$	0.16
76.1	2.9	30	9	76	6	$\pm 1\%$		± 3.2	$\pm 10\%$	0.21
88.9	3.2	33	11	89	8	$\pm 1\%$		± 3.2	$\pm 10\%$	0.28
101.6	3.6	34	11	102	8	$\pm 1\%$	$\pm 15\%$	± 3.2	$\pm 10\%$	0.36
108	3.6	35	11	108	8	$\pm 1\%$	$\pm 15\%$	± 3.2	$\pm 10\%$	0.39
114.3	3.6	36	12	114	8	$\pm 1\%$	$\pm 15\%$	± 3.2	$\pm 10\%$	0.46
133	4.0	39	12	133	10	$\pm 1\%$	$\pm 15\%$	± 3.2	$\pm 10\%$	0.59
139.7	4.0	41	12	140	12	$\pm 1\%$	$\pm 15\%$	± 3.2	$\pm 10\%$	0.62
159	4.5	51	15	159	15	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	1.11
168.3	4.5	56	16	168	15	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	1.23
193.7	5.4	57	17	194	20	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	1.89
219.1	5.9	57	17	220	20	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	2.21
244.5	6.3	60	17	240	25	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	3.16
273	6.3	70	18	270	28	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	3.67
323.9	7.1	87	35	324	32	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	6.30
355.6	8.0	89	40	355	35	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	8.30
368	8.0	95	40	368	37	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	9.20
406.4	8.8	99	45	406	41	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	11.5
419	8.8	105	45	419	42	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	12.8
457.2	10	110	50	460	46	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	18.8
508	10	120	50	508	51	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	22
558.8	10	130	55	560	56	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	24
609.6	10	140	55	610	61	$\pm 1\%$	$\pm 15\%$	± 5	$\pm 10\%$	26



Sec.Art. 036.0305

